

## Pavitt, John

---

**From:** Pavitt, John  
**Sent:** Friday, August 16, 2013 3:52 PM  
**To:** Cunningham, Roylene  
**Subject:** RE: ITD & IDOC Asbestos Incident

[REDACTED]

John Pavitt  
EPA Region 10, Alaska Operations Office  
(907) 271-3688

---

**From:** Cunningham, Roylene  
**Sent:** Friday, August 16, 2013 12:14 PM  
**To:** Pavitt, John  
**Subject:** RE: ITD & IDOC Asbestos Incident

[REDACTED]

[REDACTED]

---

**From:** Pavitt, John  
**Sent:** Friday, August 16, 2013 1:06 PM  
**To:** [REDACTED]  
**Subject:** RE: ITD & IDOC Asbestos Incident

Thanks [REDACTED] this is very helpful.

John Pavitt  
EPA Region 10, Alaska Operations Office  
(907) 271-3688

---

**From:** [REDACTED]  
**Sent:** Friday, August 16, 2013 12:02 PM  
**To:** Pavitt, John  
**Subject:** Re: ITD & IDOC Asbestos Incident

It is the ITD District 6 site in Rigby. The address I have for it is:

206 North Yellowstone Highway  
Rigby, ID 83442

The hallway and room is located in their mechanic building.

On Fri, Aug 16, 2013 at 1:33 PM, Pavitt, John <[Pavitt.John@epa.gov](mailto:Pavitt.John@epa.gov)> wrote:

[REDACTED], what is the address and name of the DOT building? EPA received multiple notices from ID DOT for asbestos removal projects this spring and summer and we are seeing if any of them match up with the project you worked on.

Thanks,

John Pavitt

EPA Region 10, Alaska Operations Office

[\(907\) 271-3688](tel:(907)271-3688)